AeroAudio. WWW.AEROAUDIO.EU	MOS - MANUAL		• IP	VER RURE ORF BUELOD GAR ETHERINEET VER RURE ORF BUELOD GAR ETHERINEET	
ETHERNET		— USB			
			GPI contacts.		
	12345678	Pin	Function GPI-IA	Signal + 5 to + 15 volts	
		1 2	GPI-IA GPI-IA GND	Ground	
		3	GPI-IA GND	Contact to pin 7 / 9	
		4	GPI-IB/2B GND	Ground GPI-IB / GPI-2B	
		5	GPI-2A	+ 5 to + 15 volts	
		6	GPI-2A GND	Ground GPI-2A	
		7	GPI-2B	Contact to pin 7 / 9	
		8	GPI-IB/2B GND	Ground GPI-IB / GPI-2B	
		SUB-I	D 9 GPI contacts. In para	llel to the RJ45	
		Pin	Europeine -	Circul	
	$\left(\begin{array}{cccc} 5 & 4 & 3 & 2 & 1 \\ 0 & 0 & 0 & 0 & 0 \\ \end{array}\right)$		Function GPI-IA	Signal + 5 to + 15 volts	

SUB-D 9 MALE is included

GPI-IB

GPI-2A

GPI-2B

Alarm

GPI-IA GND

GPI-2A GND

GPI-IB/2B GND

GPI-IB/2B GND

2

3

4

5

6

7

8

9





 $\begin{array}{cccc} 0 & 0 & 0 & 0 \\ 9 & 8 & 7 & 6 \end{array}$

+ 5 to + 15 volts

Ground GPI-2A

Ground

Contact to pin 7 / 9

Contact to pin 7 / 9

Contact to pin 7/9

Ground GPI-IB / GPI-2B

Ground GPI-IB / GPI-2B



5

White

This is standard for most RGB-W LED strips. Maximum power rating for each colour is 2 amps with a total maximum power consumption of 4 amps for all 4 colours.

The voltage control of GPI1 and GPI2 are isolated from each other and from the MOS-LED. Voltage control is possible between +5 and +15 volts DC.



Factory default settings:

GPI1 = Red (Full on) GPI2 = Green (fully on, flashing) No GPI active = White.

If GPII is on and GPI2 joins it (or vice versa) then the LED control will alternate between Red and Green.







Network access

Settings of the MOS-LED-IP can be adjusted using a standard internet browser. From the factory, the IP address is 192.168.0.101 with subnet: 255.255.255.0 Enter the IP address of the MOS-LED-IP in the browser bar, the MOS-LED-IP will then display the following http webpage:

	Aero	Audio				
MOS-LED-IP						
Device mode:	SUB-D only selected ~					
Remote device s Select device:	SUB-D selected 💙					
Remote IP:	192.168.0.1					
GPI 1 settings	GPI 1 selected v Pin 1 selected v	GPI 2 settings	GPI 2 selected V Pin 3 selected V			
GPIO: TCP on:	CP11 selected V Pin 1 selected V	GPIO: TCP on:	command on2			
TCP off:	command off1	TCP off:	command on2 command off2			
	Command off1		commana onz			
Color:		Color:				
Fade speed:	-	Fade speed:				
Blink speed:		Blink speed:				
Standby setting	s					
Color:						
Fade speed:	•					
MOS IP settings						
IP address:	192.168.0.101					
Subnet mask:	255.255.255.0		Save settings and reboot			
MAC:	20.55.02.85.85.49		vere every environment			
Firmware:	rev.1.0.9					

Device mode

Device mode:	SUB-D only selected \checkmark
	SUB-D only selected
	SUB-D-GPI only
	Connect to device
	Listen to server

Mode	Description
"	Current setting
SUB-D-GPI only	Triggers only on SUB-D GPI
Connect to device	Connects to an Axia node or QOR
Listen to server	Triggers via receivable TCP commands

Connect to device: automatically connects to an Axia Node or QOR. Listen to server: listens to the commands of a TCP server (Axia Pathfinder for example) on TCP port 93.



AeroAudio

WWW.AEROAUDIO.EU



Remote device settings

Remote device se				
Select device:	SUB-D selected	×		
Remote IP:	192.168.0.1			

Device:	Description:
"" selected	Current setting
SUB-D only	Trigger only on SUB-D GPI
Axia Node	Connect to an Axia node
Axia QOR (16-32)	Connect to an Axia QOR-16 or QOR-32

Axia node:

Connects to an Axia node on the specified remote IP.

Axia QOR (16-32):

Connects to an Axia QOR-16 or a QOR-32 on the specified remote IP.

When listening to GPI or GPO contacts of an Axia QOR, select the Node as device. When using the Liverwire software driver, also select the Node.

The webpage of the MOS-LED-IP shows the status of the connection:

Remote device settings				
Select device:	Node selected	×		
Remote IP:	192.168.0.1		Connected	

When a connection with a node or QOR is disconnected, the MOS-LED-IP will try to restore the connection. On a longer timeout, the web page displays this. To restore the IP connection after this timeout, the MOS-LED-IP has to be restarted completely.

Remote device settings				
Select device:	Node selected	~		
Remote IP:	192.168.0.20		Not connected	





STEENWEG 148C - 9810 NAZARETH - BELGIUM - T +32 (0)9 396 76 40 - INFO@AEROAUDIO.EU



GPI settings

GPI 1 settings			GPI 2 settings		
GPIO:	GPI 1 selected ∨	Pin 1 selected V	GPIO:	GPI 2 selected ▼	Pin 3 selected 🗸
TCP on:	command on1		TCP on:	command on2	
TCP off:	command off1		TCP off:	command off2	
Color:			Color:		
Fade speed:	<u>_</u>	-	Fade speed:	<u> </u>	
Blink speed:	•		Blink speed:	-	

The default settings of GPII and GPI2 can be adjusted here. When selecting GPI only, only the colour, fade and blink speed are applicable. If both contacts are active at the same time, the colours will be active alternately.

Default settings are GPII: red (microphone channel open) and GPI2: green (incoming telephone call).

When selecting an Axia node, the GPI or GPO can be chosen with the corresponding pin on which the colour must be activated. GPII to 8, GPO I to 8 and Pin I to 5.

When selecting an Axia QOR the name of the fader channel must be entered in the field of TCP on. This can be Mic-DJ or Mic I for example. The name has to exactly match the name of the channel as entered in the QOR and is case sensitive. When you change a showprofile and the channel changes from fader I to fader 3 the MOS-LED-IP will automatically follow the corresponding channel.

When installing or restarting the MOS-LED-IP for the first time, a showprofile has to be loaded on the Axia QOR in order for the MOS-LED-IP to recognise the channel.

GPIO, Pin and TCP off settings are not applicable when choosing a QOR.

When choosing listen to server the MOS-LED-IP will only listen to commands sent directly to the IP address of the MOS-LED-IP on TCP port 93. The TCP command must exactly match TCP on or TCP off and are also case sensitive:

TCP on:	command on1
TCP off:	command off1

The MOS-LED-IP uses standard ASCII text lines for these TCP commands. Testing a command a standard freeware program like packet sender can be used.







Standby settings



This is the colour of the LED strip when no GPI is active. To switch off the LED strip completely, select black (RGB value 0.0.0):

Standby settings				
Color:				
Fade speed:				
	/	•		•
	0	0	0	
	R	G	в	0

To light only the colour white, select colour white (RGB value 255.255.255).

IP settings

MOS IP settings		
IP address:	192.168.0.101	
Subnet mask:	255.255.255.0	
MAC:	00.50.C2.80.80.49	
Firmware:	rev.1.0.9	

Here the IP address with associated subnet mask of the MOS-LED-IP can be adjusted. The MAC address is unique for each device and cannot be changed. The firmware version indicates the firmware under which the device is running.

Save settings



After adjusting the settings, they have to be saved, click on the button save settings and reboot. The MOS-LED-IP will save all settings and reboot. After +/- 5 seconds the webpage can be reloaded to check the settings.



AeroAudio

WWW.AEROAUDIO.EU



USB settings

Poorten (COM & LPT)

The IP address of the MOS-LED-IP can be called up via the USB port. This installs as a virtual com port, speed 9600. Installed here as COM3.

enschappen van USB-SERIAL CH340 (COM3)			
gemeen	Poortinstellingen Stuurprogramma Details		
	Bits per seconde:	9600	
	Databits:	8	-
	Parteit:	Geen	•
	Stopbits:	-	

You can then connect via a telnet programme such as Putty. After entering the ENTER key, the standard welcome message follows:



Here are the IP settings of the MOS-LED-IP if they are unknown. Via the "restore" command followed by the enter key, the MOS-LED-IP is reset to its factory settings:

IP address: 192.168.0.101 Subnet: 255.255.255.0



AeroAudio

WWW.AEROAUDIO.EU

STEENWEG 148C - 9810 NAZARETH - BELGIUM - T +32 (0)9 396 76 40 - INFO@AEROAUDIO.EU











Safety First!

- Caution: hot and sharp surfaces ! This professional device should only be installed by qualified personnel.
- Check the cardboard box for any damage upon receipt of the goods. In case of a damaged box, please contact your distributor contact your distributor before opening the box.
- Read all documentation before using the unit.
- Keep all documentation for future use.
- Keep the box and packing materials even if the equipment has arrived in good condition.
- Should you ever need to ship the equipment, use only the original factory packaging.
- Do not spill water or other liquids in or on the unit.
- Always use the power supply provided.
- Make sure the outlets match the power requirements listed on the back of the power supply.
- Do not use the unit if the power cord is frayed or broken.
- Turn off and disconnect the devices from the power supply before making any connections.
- Do not use the unit near heaters, heating vents, radiators, or other devices that produce heat.
- Do not use the unit on a surface or in an environment that may interfere with the normal flow of air around the unit.
- If the unit is used in an extremely dusty or smoky environment, the unit should be "dusted" periodically.
- Do not remove the cover. Removing the cover will expose you to potentially dangerous volt voltages.
- In case of malfunction, this unit should only be serviced by qualified service personnel.
- Always follow the instructions of the supplier and manufacturer Use only manufacturer specified accessories, spare and replacement parts.
- Use the device only for the application the manufacturer intended.



